

Name	Unison Industries LLC.		Parent Company	GE Aerospace	
Address	7575 Baymeadows Way	City	Jacksonville	State/ Zip code	FL.
Website	www.unisonindustries.com				
SCOPE: To verify that Unison Industries LLC complies with the requirements of FAA/EASA Supplement CAAC and CASE					

Contact Information

	Name	Email	Phone
Accountable Manager	Amy Kanapesky	Amy.kanapesky@ge.com	904-687-9631
Quality Manager	John Rogers	John.rogersjr@ge.com	904-728-7074
Maintenance Supervisor	Ken Jacobs	Kendall.jacobs@unisonindustries.com	904-570-2775
Order Management	Frances Powers	frances.powers@unisonindustries.com	904-739-4026
Fulfillment	Nijal Patel	nijal.patel@unisonindustries.com	904-739-4150
Sales Manager	See Website	https://www.unisonindustries.com/contact/	
Others			

Aviation Authority Approvals

11 (100010111011011011011011011011011011011			
	Certificate Number	Expiration date	
FAA Part 145	UILR299K	Indefinite	
EASA Part 145	EASA.145.4976	31 July 2024	
CCAR 145	F0100116	31 December 2024	
Others			

Certified Quality & EHS Management Approvals

	8 11		
	Certificate Number	Expiration date	
ISO 9001			
EN/AS 9100/9110/9120	C0106705-AS9	12 June 2024	
EHS / SMS			
NADCAP	11132204958	30 November 2023	
Other			

Facility

Number of buildings	1
Location size (sq. ft.)	13,025

Personnel

Management	6
Technical	7
Operators/ Technicians	46
Inspectors/ RTS	8
Quality	2
Safety	3

Total

72



	Requirement	YES	NO	N/A
1.	Are the Maintenance Organization Certificate and Operations Specifications/Limitations available on the premises for inspection by the public and Regulatory Authorities? FAR 145.5,b			
2.	Do the manuals, i.e. RS&QM, MOE, MOM, identify when the facility must apply for a change in its certificate (i.e., change in accountable manager, in location, housing and facilities, change in ownership, revise rating, etc.)? Is the timeframe for notifying the authority listed?			
3.	Are the Maintenance Organization ratings appropriate for the work being performed? FAR 145.201,(b), EASA 145.A.75.a			
4.	Does the facility provide adequate housing and facilities, equipment, materials, and personnel consistent with its ratings, and are these items described in the appropriate manuals? (FAR 145.103, FAR 145.109, FAR 145.151, EASA 145.A.25.a, EASA 145.A.40, CCAR 145.20(1)(i), CCAR 145.21)			
5.	Does the Maintenance Organization have the facilities to perform the work for which it is rated? (FAR 145.103.a.2, EASA 145.A.25.a, CCAR 145.20(1))			
6.	Are shop facilities segregated and of a size to prevent contamination of assembled or partially assembled work? (FAR 145.103.a.2.i & ii & iii, EASA 145.A.25.a, CCAR 145.20(1))			
7.	Are shop areas which require critical cleanliness maintained properly (bearing work, Avionics, Controls/Accessories, Composites, etc.)? (FAR 145.103.a.2.ii, EASA 145.A.25.c, CCAR 145.20(2)(v))	\boxtimes		
8.	Does the facility provide storage facilities for the exclusive use of storing standard parts, spare parts, and raw materials, and is the area separated from shop and working space? (FAR 145.103.a.2.iv, EASA 145.A.25.d, CCAR 145.20(5))	×		
9.	Does the facility provide adequate environmental controls, protection from weather elements and lighting for all work being done so that the quality of the work being done is not impaired? (FAR 145.103.a.2.v, EASA 145.A.25.c.1-c.5, CCAR 145.20(2))	\boxtimes		
10.	Are all stockrooms clean, orderly and materials protected from damage? (FAR 145.103.a.2, EASA 145.A.25.d, CCAR 145.20(5)(i))	\boxtimes		



	Requirement	YES	NO	N/A
11.	Is there provision for the segregation of non-serviceable/nonconforming material from serviceable/conforming material? (FAR 145.103.a.2.iv, EASA 145.A.25.d, EASA 145.A.42.a & d, CCAR 145.20(5)(ii))	\boxtimes		
12.	Are facilities (trays, racks, stands, etc.) provided for protecting parts and subassemblies during disassembly, cleaning, inspection, repair, alteration and assembly? (FAR 145.103.a.2.iii, EASA 145.A.42, CCAR 145.20(5))	\boxtimes		
13.	For Maintenance Organizations with an airframe rating, has the FAA approved the permanent housing used for the largest aircraft on the Operations Specifications? (FAR 145.103.b, EASA 145.A.40.a.3, CCAR 145.20(1)(ii))	\boxtimes		
14.	If approved to perform work outside of its housing and facilities, are suitable facilities acceptable to the FAA or applicable Regulatory Authority provided for the work in accordance with requirements of part 43? (FAR 145.103.c, EASA 145.A.30.j, CCAR 145.20(1ii))	\boxtimes		
15.	If the Maintenance Organization has made changes in its location or housing was written approval along with any special requirements or instructions obtained from the applicable Regulatory Authorities? (FAR 145.105, EASA 145.A.85, CCAR 145.16)	\boxtimes		
16.	If the Maintenance Organization operates satellite facility with its own certificates issued by the FAA, does the satellite facility comply with the same requirements as the main facility? (FAR 145.107)	\bowtie		
17.	Does the Maintenance Organization have all the required equipment, tools, and material necessary to perform the maintenance or if equivalent to those recommended by manufacturer are acceptable to NAA? (FAR 145.109.a-c & FAR 43.15, EASA 145.A.40, CCAR 145.21)	\boxtimes		
18.	Does the facility maintain in current condition a library of Manufacturer's maintenance/overhaul manuals, component maintenance manuals, standard practices manuals, tool and equipment manuals, etc., for the articles it is rated to perform maintenance, preventive maintenance or alterations on? (FAR 145.109.d/FAR 43.15, EASA 145.A.45.a & g, CCAR 145.24)	\boxtimes		
19.	Are the required manuals and other maintenance data and any changes thereto available to maintenance personnel at the shop level to perform the certified maintenance actions? (FAR 145.109.d, FAR 145.211.c.1.v, EASA 145.A.45.f, CCAR 145.24)	\boxtimes		
20.	Do work procedures/inspection forms reflect the current technical data as contained in the appropriate maintenance manuals or other technical documents? (FAR 145.109.d, FAR 43.2, EASA 145.A.45.e, EASA 145.A.47, EASA Supplement paragraph 7 Customer Works Orders, CCAR 145.24))	\boxtimes		



	Requirement	YES	NO	N/A
21.	Has the site accountable manager, with responsibility for ensuring that the Maintenance Organization is in compliance with regulatory requirements, been nominated and accepted (as required) by the authority? (FAR 145.151.a, EASA 145.A.30.a/EASA Supplement paragraph 4 Accountable Manager's Commitment Statement, CCAR 145.23(1) & (3))	\boxtimes		
22.	Does the Maintenance Organization provide qualified personnel to plan, perform, supervise and approve for return to service, work performed at the Maintenance Organization? (FAR 145.151.b, FAR 43.3, EASA 145.A.30.b & c, CCAR 145.23(2)))	\boxtimes		
23.	Does the Maintenance Organization have a sufficient number of employees with the training and/or knowledge and experience to perform work under the Maintenance Organizations certificate and Operations Specifications and in accordance with part 43? (FAR 145.151.c, EASA 145.A.30.d, CCAR 145.23(5))	\boxtimes		
24.	Does the Maintenance Organization have a documented process for determining the abilities of its noncertificated employees performing maintenance functions based on training, knowledge, experience or practical tests? (FAR 145.151.d, EASA 145.A.30.e, CCAR 145.23(4))	\boxtimes		
25.	For US domestic Repair Stations only, are all supervisors certificated under part 65 ? Note: Certification may be as appropriately rated mechanics or repairman. (FAR 145.153.b.1)	\boxtimes		
26.	For Foreign Repair Stations only, do all supervisors have a minimum of 18 months practical experience in the work being performed or the equivalent in training and familiarity with the work? (FAR 145.153.b.2)	\boxtimes		
27.	Does the Maintenance Organization ensure all supervisors can understand, read and write English? (FAR 145.153.c)	\boxtimes		
28.	Does the Maintenance Organization have a documented process to ensure all persons performing inspections under the FAA part 145 certificate are 1.) thoroughly familiar with applicable regulatory requirements, 2.) thoroughly familiar with the inspection methods, techniques, equipment and tools used in the work they perform, 3.) thoroughly proficient in using various types of inspection equipment and visual inspection aids appropriate for the articles inspected, 4.) are able to understand, read, and write English? (FAR 145.155)	\boxtimes		



	Requirement	YES	NO	N/A
29.	Does the Maintenance Organization have a documented process to ensure each person authorized to return to service articles are: 1.) for US Maintenance Organizations certificated under part 65, 2.) for non US Maintenance Organizations, trained in or 18 months practical experience with techniques, tools and equipment used to perform the work, 3.) thoroughly familiar with FAA part 145 regulations requirements, 4.) proficient in use of various inspection methods, techniques, equipment and tools appropriate for the article being returned to service, 5.) are able to understand, read, and write English? ((FAR 145.157, EASA 145.A.30.e & f, CCAR 145.23(5) & (6)))	\boxtimes		
30.	Does the Maintenance Organization have a documented process for recommending persons for certification as a repairman to the FAA in an acceptable format, including statements that the persons: 1.) employed by the Maintenance Organization, 2.) meets the eligibility requirements of part 65.101? (FAR 145.159, EASA 145.A.35, CCAR 145.23(5v))	\bowtie		
31.	Does the facility maintain a roster of supervisory, inspection, and personnel providing return to service? (FAR 145.161.a.1-3, EASA 145.A.35.j, CCAR 145.23(5) &(6))	\boxtimes		
32.	Does the facility maintain a summary of employment for all personnel on the rosters of supervisory, inspection, and personnel providing return to service? (FAR 145.161.a.4, EASA 145.A.35.j, CCAR 145.23(5) & (6))	\boxtimes		
33.	Do these rosters include present title, total years of experience and type of maintenance work performed, relevant past employment including names of employers and periods of employment, scope of present employment and the type of mechanic or repairman certificate held and ratings on the certificate? ((FAR 145.161.a.4, EASA 145.A.35.j, CCAR 145.23(5) & (6)))	\boxtimes		
34.	Does the Maintenance Organization have a documented process for changing the employment rosters required by FAR 145.161.a.4 within 5 business days of a change caused by termination, reassignment, change in duties or scope of assignment or addition of personnel? (FAR 145.161.b)	\boxtimes		
35.	Does the Maintenance Organization have a training program approved by the applicable Regulatory Authorities? (FAR 145.163(a), EASA 145.A.35.e, EASA, CCAR 145.29)	\boxtimes		
36.	Has the site established documented procedures for identifying training requirements/needs for all employees, including Human Factors? (EASA145.A.30(e), CCAR145.29(1) Supplement paragraph 17 Human Factors)	\bowtie		



	Requirement	YES	NO	N/A
37.	Does the Part-145 Approved Maintenance Organization training program contain requirements for initial and recurrent training for all employees? (FAR145.163, EASA145.A.35.d, CCAR145.29(2))	X		
38.	Does the training program identify, by title, the person or function responsible for the administration of the program? (FAR145.163.b)	\boxtimes		
39.	Does the training program contain record keeping requirements including a requirement to maintain for employees for 2 years after they leave the company? (FAR145.163.c, CCAR145.29(4), EASA145.A.35(j))	\boxtimes		
40.	Does the site retain appropriate records of education, training, OJT, skills, certificates, and experience as quality records (NDT Level 1, 2, 3, welding, inspectors, mechanics, repairmen, etc.)? (FAR145.163(c), EASA145.A.30(f), CCAR145.29)	\boxtimes		
41.	Has the Maintenance Organization established an annual training program for each position per CCAR 145.23. (CCAR 145.29(3))	X		
42.	Does the Maintenance Organization maintain or alter only articles within the limitations of its certificate and Operations Specifications? (FAR 145.201.a.1, EASA 145.B.25, CCAR 145.12)	\boxtimes		
43.	If the Maintenance Organization subcontracts a maintenance function to a noncertificated person, is there a documented process that ensures the noncertificated person follows a quality control system equivalent to the system used by the certificated Maintenance Organization? (FAR 145.201.a.2, EASA 145.A.75.b)	\bowtie		
44.	Does the Maintenance Organization have documented process to ensure that it maintains or alters and returns to service only articles for which it is rated and for which it has all the necessary special technical data, equipment, and facilities available to it? (FAR 145.201.a.3 & 145.201.b, EASA 145.A.50.a, CCAR 145.28)	\boxtimes		
45.	Does the Maintenance Organization have documented process that ensures all articles it maintains or alters in accordance with applicable technical data acceptable to or approved by the NAA? (FAR 145.201.c.1, EASA 145.A.45.a, CCAR 145.28)	X		



	Requirement	YES	NO	N/A
46.	Does the Maintenance Organization Manual contain adequate procedures to ensure FAA approved data is used for major repairs and major alterations? (FAR 145.201.c.2)	\boxtimes		
47.	Does the Maintenance Organization meet the requirements of Rolls Royce SABRe when performing service/s in accordance with customer purchase and sales documentation?	\boxtimes		
48.	Does the Maintenance Organization have documented process to ensure work performed for air carrier or commercial operator certificated under parts 121 or 135 follows the program and applicable sections of the maintenance manual of the operator/carrier? ((FAR 145.205.a, CCAR 145.30))	\boxtimes		
49.	Does the Maintenance Organization have documented process to ensure work performed for a certificate holder that operates under part 125 performs such work under the operators FAA approved inspection program? ((FAR 145.205.b))	X		
50.	Does the Maintenance Organization have documented process to ensure work performed for a Non-US carrier or person operating a US registered aircraft under part 129 performs such work under the operators FAA approved maintenance program? ((FAR 145.205.c))	\boxtimes		
51.	Does the repair Station have a documented process to ensure that line maintenance performed for a air carrier certificated under part 121 or 135 or non US carrier or person operating a US registered aircraft under part 129 is 1.) in accordance with the operators manual and if applicable approved maintenance program, 2.) the Maintenance Organization has the necessary equipment, personnel, and technical data to perform the work, 3.) the Maintenance Organization Operation Specification includes authorization for line maintenance? ((FAR 145.205.d, EASA 145.A.30.g, CCAR 145.30))	\bowtie		
52.	Is the Repair Station operating in accordance an approved RS&QM, MOE, MOM etc. that has been accepted by the NAA? (FAR 145.207.a & b and 145.211.a, CCAR 145.30)	\boxtimes		
53.	Is the facility's RS&QM and MOM accessible for use to all inspectors, supervisors, and return to service personnel as required by these regulations? (FAR 145.207.c, CCAR 145.24)	\boxtimes		
54.	Does the Maintenance Organization manual contain a statement by the accountable manager with a commitment to ensure that the repair station remains in compliance with the appropriate regulations FAA,EASA, CAAC, etc.? (EASA 145.A.70.a.1, CCAR 145.30 Part 1)	\boxtimes		



	Requirement		NO	N/A
55.	Do the facility's regulatory manuals contain an organization chart? (FAR 145.209.a, EASA 145.A.70.a.5, CCAR 145.30 (Part 5 of the MOM))	\boxtimes		
56.	Do the facility's regulatory manuals contain descriptions of the duties, responsibilities, and authorities of each management position? (FAR 145.209.a.3, EASA 145.A.70.a.4, CCAR 145.30 (Parts 6 & 7 of the MOM))	X		
57.	Do the facility's regulatory manuals contain procedures for maintaining and revising the rosters required by part 145.161? (FAR 145.209.b, CCAR 145.30 (Parts 4 & 11 of the MOM))	\boxtimes		
58.	Do the facility's regulatory manuals contain a description of Maintenance Organizations operations, housing, facilities, equipment, and materials? (FAR 145.209.c, EASA 145.A.70.a.8, CCAR 145.30 (Part 3 of the MOM))	\boxtimes		
59.	Do the facility's regulatory manuals contain procedures for revising the capability listing? (FAR 145.209.d.1, CCAR 145.30 (Part 8 of the MOM))			
60.	Do the facility's regulatory manuals contain procedures for management of technical documents, staff training, calibration, materials, subcontractors, maintenance records, and maintenance process? (CCAR 145.30 Part 9)			
61.	Do the facility's regulatory manuals contain procedures that address maintaining a list of subcontractor maintenance functions and approval process? (FAR 145.217, CCAR 145.30 (Part 12 of the MOM))			
62.	Do the facility's regulatory manuals contain procedures for revising and notifying regulatory NAA of changes to the capability list and submission of annual reports? (FAR 145.209.d.1, CCAR145.13(1))			
63.	Do the facility's regulatory manuals contain procedures for self-evaluation required to make changes to capability lists including methods, frequency, and reporting results to management? (FAR 145.209.d.2)			
64.	Do the facility's regulatory manuals contain procedures for revising the training program and submitting revisions to the NAA for approval? (FAR 145.209.e, CCAR145.29(1))	\boxtimes		



	Requirement		NO	N/A
65.	Do the facility's regulatory manuals contain procedures for performing work for carriers under parts 121, 125, 135, and Non-US carriers under part 129? (FAR 145.209.g)	\boxtimes		
66.	If the Maintenance Organization is approved to perform work outside of its normal housing and facilities, are suitable facilities, acceptable to the NAA, provided for the work in accordance with requirements of part 43? (FAR 145.103.c)	\boxtimes		
67.	Do the facility's regulatory manuals contain procedures for maintaining and revising contract maintenance information and notifying the NAA of changes? (FAR 145.209.h.1, 209.h.2, EASA 145.A.70.a.16, EASA Supplement paragraph 16 Contracted Maintenance)	X		
68.	Does the facility's Quality system contain procedures that address changes/revisions to the Quality Control and/or Maintenance Organization manuals and how the Regulatory Authority is notified of the revisions, including how often notification will be made? (FAR 145.209.j, 145.211.c.4, EASA 145.A.70.a.11, 145.A.70.b & c, CCAR145.16)	\boxtimes		
69.	Do the facility's regulatory manuals contain procedures that describe how the Maintenance Organization manual sections are identified and controlled? (FAR 145.209.k, EASA 145.A.70, CCAR145.25 & .30)	\boxtimes		
70.	Does the Quality Control system contain procedures for the inspection of incoming raw materials? (FAR 145.211.c.1.I, EASA 145.A.42.a.5, CCAR145.22(6))	\boxtimes		
71.	Is there a documented program for auditing shelf-life materials? (FAR 145.103.c.1.I, CCAR145.22(6))			
72.	Are shelf-life items properly identified, organized, and subjected to periodic checks to ensure that they are not expired and that storage conditions are proper? ((FAR 145.103.c.1.I, CCAR145.22(6)))	\boxtimes		
73.	Does the shelf-life program list all parts and materials that have shelf-life limits or unique storage requirements? (FAR 145.103.c.1.I, CCAR145.22(6))			
74.	Does the Maintenance Organization have instructions and procedures in place that ensure proper source documentation and traceability is required and obtained before parts are accepted and placed in stock? (FAR 145.211.c.1.i)	\boxtimes		



	Requirement	YES	NO	N/A
75.	Can the Maintenance Organization trace randomly selected parts from their stock and determine the Airworthiness status? (FAR 145.211.c.1.I, CCAR145.22)	\boxtimes		
76.	Are parts procured as "new surplus" from part distributors or brokers, if so can the material certifications received with the part be verified? (FAR 145.211.c.1.I, CCAR145.22))	\boxtimes		
77.	Does the Quality Control system contain procedures for preliminary inspection of articles maintained? (FAR 145.211.c.1.ii)	\boxtimes		
78.	Does the Quality Control system contain procedures for hidden damage inspections when notified that articles have been involved in accident or incident before maintenance? (FAR 145.211.c.1.iii))	\boxtimes		
79.	Does the Quality Control system contain procedures to ensure proficiency of inspection personnel? (FAR 145.211.c.1.iv, EASA 145.A.35.c))	\boxtimes		
80.	Does the Quality Control system contain procedures for establishing, maintaining and making available current technical data for articles maintained, including customer manuals, FARs, ADs, ACs, Orders and Bulletins? (FAR 145.211.c.1.v, EASA 145.A.45.g, CCAR145.24)	\boxtimes		
81.				
82.	Does the Quality Control system contain procedures for performing required final inspections and tests prior to the return to service of any articles maintained? (FAR 145.211.c.1.vii)			
83.	Does the Quality Control system contain procedures for the calibration of all Measuring and Test Equipment (MTE)? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5))	\boxtimes		
84.	Does the Quality Control system contain procedures for the use of an MTE recall system and is this recall system effective? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5i))	X		



	Requirement		NO	N/A
85.	Does the Quality Control system contain procedures that address the content of calibration labels including the date of the next calibration and a requirement to attach the labels to calibrated items, when possible? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5ii)))	\boxtimes		
86.	Does the Quality Control system contain procedures that address how out of calibration, inactive, damaged or obsolete MTE are controlled to preclude reissue or use? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5iii))	\boxtimes		
87.	Does the Quality Control system contain procedures that ensure that all standards and 'master' MTE (e.g. the national or other standard used as the basis for calibration) are calibrated to a standard acceptable to the appropriate regulatory authority, FAA, EASA, CAAC, etc.? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5))	\bowtie		
88.	1.92 Does the Quality Control system contain procedures that address maintaining records of calibrations and the standards used? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5))	\boxtimes		
89.	Does the site maintain an inventory of these monitoring and measuring devices, and define the processes employed for their calibration including details of equipment type, unique identification, location, frequency of checks, check method and acceptance criteria? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5))	\bowtie		
90.	Does the Quality Control system contain procedures that address how calibrated items are handled, stored and transported in a manner that will not adversely affect the calibration of the equipment? (FAR 145.211.c.1.viii, EASA 145.A.40.b)	X		
91.	Does the Quality Control system contain procedures that address adjustment of calibration intervals? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(5))	\boxtimes		
92.	Does the Quality Control system contain procedures that address personally owned MTE, used for acceptance, are in the calibration database and properly calibrated? (FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR145.21(6))	X		
93.	Is Calibration test software or comparative reference software controlled in accordance with a Software Management Program (including test cell software)? (FAR 145.109.b, CCAR145.21(7))	\boxtimes		
94.	Does the Quality Control system contain procedures that address processes for the selection, assessment, and control of sub-contractors providing calibration services, including Purchase Order requirements and the incoming review of records? ((FAR 145.211.c.1.viii, EASA 145.A.40.b, CCAR 145.21))	X		



	Requirement		NO	N/A
95.	Does the Quality Control system contain procedures that address corrective action on deficiencies to Measuring and Test Equipment? ((FAR 145.211.c.1.ix))	\boxtimes		
96.	Do the various Maintenance Organization Manuals contain procedures that address work/inspection forms, routers, work sheets, etc. and that define accept/reject criteria when appropriate? ((FAR 145.211.c.2, EASA 145.A.45.e, EASA Supplement paragraph 7 Customer Work Orders, CCAR 145.27))	\boxtimes		
97.	Does the Quality Control Manual contain examples of all the forms used, and instructions for the completion of forms? (FAR 145.211.c.3, CCAR 145.30 Part 13)	\boxtimes		
98.	Does the Quality system contain procedures that address changes/revisions to the Quality Control and/or Maintenance Organization manuals and how the Regulatory Authority is notified of the revisions, including how often notification will be made? (FAR 145.211.c.4, EASA 145.A.70.a.11, 145.A.70.b & c, CCAR145.16)	\boxtimes		
99.	Does the facility employ procedures to ensure that all articles it maintains or alters are inspected by a qualified inspector and receive proper NAA authorized documentation prior to its approval for return to service? (FAR 145.213.a, CCAR145.33)	\boxtimes		
100.	If the Maintenance Organization holds a limited ratings, is a capability list or operations specification available and acceptable to the NAA? (FAR 145.215.a, CCAR145.19)	\boxtimes		
101.	Does the capability list identify each article by make and model or other means acceptable to the NAA? (FAR 145.215.b) 11.			
102.	Is there evidence of the self-evaluation for revising the capability list, including methods and frequency of such evaluations? (FAR 145.215.c)	X		
103.	Is there evidence the Maintenance Organization has provided the NAA with all revisions to the capability list? (FAR 145.215.d, CCAR145.16)			
104.	Does the Maintenance Organization have a list of maintenance functions approved by the FAA, to be performed for it by contract? (FAR 145.217.a.1, CCAR145.15)	\boxtimes		



	Requirement		NO	N/A
105.	Does the contract maintenance function list include the name of each facility contracted by the Maintenance Organization and the type of certificate and rating held (if any)? (FAR 145.217.a(2.ii), CCAR145.15)	\boxtimes		
106.	If work is contracted to a non-certificated person is there evidence the contractor has a quality system equivalent to that of the Maintenance Organization? (FAR 145.217.b.1)	\boxtimes		
107.	If work is contracted to a non-certificated person is there evidence the Maintenance Organization remains directly in charge of the work performed? ((FAR 145.217.b.2, EASA 145.A.75.b))	\boxtimes		
108.	If work is contracted to a non-certificated person is there evidence the Maintenance Organization verifies by inspection or test that the work is satisfactory, and the article is airworthy prior to approving for return to service? ((FAR 145.217.b.3))	X		
109.	Review some completed work order packages to ensure that the Maintenance Organization is not providing only return to service of a complete type-certificated product following maintenance or alteration? (Review should ensure compliance with each certificate held)	\boxtimes		
110.	Does the facility keep work records in English for at least two years For EASA the required timeframe is 3 years) after the work it applies has been done? (FAR 145.219.a. & c, FAR 43.5, EASA 145.A.55.a & c, EASA Supplement paragraph 10 Release of Components after Maintenance, CCAR145.32))	\bowtie		
111.	Does the Maintenance Organization provide a maintenance release document for all articles maintained or altered (sample records)? (FAR 145.219.b, EASA 145.A.55.b, EASA Supplement paragraph 10 Release of Components after Maintenance, CCAR145.33))	X		
112.	Are required Maintenance Organization records available for review and inspection by the FAA and National Transportation Safety Board (NTSB) and other Governmental bodies as appropriate to certifications held.? (FAR 145.219.d, CCAR145.33)	\boxtimes		
113.	Does the Maintenance Organization have a documented procedure for reporting defects or unairworthy conditions within 96 hours of discovery to the customer, and FAA? (FAR 145.221.a)	X		
114.	Does the Part-145 Approved Maintenance Organization have a documented procedure for reporting defects or unairworthy conditions within 72 hours of discovery to the customer or operator, and Regulatory Authority? (EASA 145.A.60/EASA Supplement paragraph 13 Reporting of Unairworthy Conditions, CCAR145.34)	\boxtimes		



	Requirement		NO	N/A
115.	Does the Repair Station/AMO roster identify all personnel authorized for Return-To-Service? (FAR 145.161, (a), EASA Supplement paragraph 10 Release of Components after Maintenance) CCAR145.30, 5, (11))	\boxtimes		
116.	After AD compliance by the Repair Station/AMO are accurate records provided to the customer? (Review return to service documents for accuracy)	\boxtimes		
117.	Do the work records indicate the name of the person who performed the work and the person who inspected that work (inspection stamps)? (FAR 43.9a, EASA Supplement paragraph 10 Release of Components after Maintenance, CCAR145.27)	X		
118.	Does the Maintenance Organization document major repair in accordance with FAR 43 Appendix B and provide a signed copy to the aircraft owner? (FAR 43.9a, CCAR145.32)	\boxtimes		
119.	Does the Maintenance Organization records show that the work was performed per maintenance manuals or other approved documents, and return to service reflects the work performed to assure against false entry into records of compliance with requirements? (FAR 43.12, CCAR145.32)	\boxtimes		
120.	Does the facility have procedures to ensure that engine test cells are certified by the manufacturers' representatives and that a correlation of the test cells are conducted in accordance with the manufacturers requirements? (FAR 43.13)			
121.	Does the Maintenance Organization complete the FAA form 337 for each major alteration in accordance with FAR 43 Appendix B?			
122.	Does the facility (US Maintenance Organization only) have an FAA approved Drug and Alcohol Misuse Prevention Program approved by the FAA? (FAR 120)			
123.	Are all employees who perform inspection, overhaul, repair, etc. covered by an FAA approved Drug and Alcohol Misuse Prevention Program (US Maintenance Organization only)? (FAR 120)			
124.	Are Subcontractors who perform repair work for the facility (US Maintenance Organization only) covered by a FAA approved Drug and Alcohol Misuse Prevention Program? (FAR 120)	\boxtimes		



	Requirement		NO	N/A
125.	Are employees in positions requiring certification (NDI/NDT (level 1, 2, or 3 as appropriate), welding, etc.) properly trained, tested and certified? (FAR 145.163.(b) COVERS TRAINING ONLY, EASA 145. A.30.f)			
126.	Does the facility Approved Maintenance Organization Manual provide procedures which ensure the work performed away from the facility is performed in the same manner as at the facility? (EASA 145.A.75.b, EASA Supplement paragraph 16 Contracted Maintenance))	\bowtie		
127.	Does the Part-145 Approved Maintenance Organization site maintain a record of all certifying staff and includes details of the scope of their certification authority? (EASA 145.A.35.h)			
128.	Has the Part-145 Approved Maintenance Organization site have approval to modify maintenance instructions in accordance with a procedure specified in the site Maintenance Organization Exposition (MOE)? ((EASA 145.A.45.d))	\boxtimes		
129.	Has the Part-145 Approved Maintenance Organization site been approved as an engineering organization to classify modifications/repairs as major or minor and approve modifications/repairs subject to compliance with EASA Part-21 requirements? (For FAA repair stations is an ODA held, EASA 145.A.45.d, 14 CFR Part 43.9 Major/Minor Repairs/Alterations/Modifications)	\boxtimes		
130.	Has the Part-145 Approved Maintenance Organization site provided a copy of each certificate of release to service to the aircraft operator, and copy of any specific approved data used for repair/modifications carried out? (EASA 145.A.55.b, EASA Supplement paragraph 8 Approved Design Engineering Data, EASA Supplement paragraph 11 Release of Components after Maintenance, CCAR145.33)	\boxtimes		
131.	Has the Part-145 Approved Maintenance Organization established a Safety and Quality policy? (EASA 145.A.65.a, CCAR145.33)			
132.	Does the Maintenance Organization manual contain a requirement for independent self-audit program? (FAR 145.209,(d),(2), EASA 145.A.65.c.1, CCAR 145.30 Part 10)	\boxtimes		
133.	Does the Part-145 Approved Maintenance Organization have an independent internal audit procedure? (EASA 145.A.65.c.1, EASA Supplement paragraph 14 Quality Assurance System, CCAR145.26)	\boxtimes		



	Requirement	YES	NO	N/A
134.	Is the Part-145 Approved Maintenance Organization independent internal audit program compliant with requirements and effective? (Review audit schedules, audit completions and implementation of committed. Use Gensuite as basis for audit.)	\boxtimes		
135.	s corrective action being taken on items noted during the internal audits? EASA 145.A.65.c.2, CCAR145.26)			
136.	Is site top management being informed of audit result and actions taken to resolve audit findings? (EASA 145.A.65.c.2, CCAR145.26)	\boxtimes		
137.	Does the Part-145 Approved Maintenance Organization have an approved MOE that contains the items listed in Part-145.A.70 (signed by the accountable manager, etc.)? (EASA 145.A.70)	X		
138.	Does the CAAC Approved Maintenance Organization have an approved MOM that contains the items listed in CCAR 145.30 (signed by the accountable manager, etc.)? (CCAR145.30)	\bowtie		
139.	If the site is EASA Part-145 approved, does it have quality procedures that are acceptable to the authority? (EASA 145.A.70)	\boxtimes		
140.	Does the Approved Maintenance facility have procedures that describe the process for managing & controlling Advisory Directives (AD's), distribution and use of AD's, how a non,-compliance to an AD is communicated to the customer. EASA Supplement Section 9	\boxtimes		
141.	If the Repair Station is requested to perform work away from station or EU articles located outside of the US, does the RSM/QCM contain written procedures as authorized and does the Repair Station have D100 authorization in its Operations Specification (EASA Supplement 19)	\boxtimes		



Comments:		

Completed by:

Name	Position	Email	Date
Peter Paratore	Repair Quality Manager	Peter.paratore@unisonindustries.com	12/6/2022